

Number	Hitel	Search Text	DB	Time stamp
Number	9050	kov with replac\$3 with kev	USPAT;	2004/07/09 20:34
,	,,,,,	,	US-PGPUB;	
	Į.		EPO; JPO; DERWENT;	
			IBM TDB	
		a control to the least	USPAT;	2004/07/09 20:34
4	56	key with expir\$3 with replac\$3 with key	US-PGPUB;	2001, 011 11
			EPO; JPO;	
			DERWENT;	
	ļ		IBM TDB	
	5.460	password with (\$2crypt\$3 \$2cipher\$3)	USPAT;	2004/07/09 16:35
-	5468	password with (\$2019pc\$3 \$201pho=\\$)	US-PGPUB;	
			EPO; JPO;	
!			DERWENT;	
			IBM_TDB	0004/07/00 16:37
_	259	(password with (\$2crypt\$3 \$2cipher\$3)) and	USPAT;	2004/07/09 16:37
_	""	713/202.ccls.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	ļ '		IBM_TDB USPAT;	2004/07/09 16:42
_	688712	(second server reciev\$3 end destination)	US-PGPUB;	2004/01/03 2011
		and (first PC sender transmitter requester	EPO; JPO;	
		client) and computer	DERWENT;	
			IBM TDB	
		(\$2crypt\$3 \$2cipher\$3) and (communication	USPAT;	2004/07/09 16:42
-	57264	link channel transmission)	US-PGPUB;	
		link channel cransmission,	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	23159	(first PC sender transmitter requester	USPAT;	2004/07/09 16:4
-	23133	client) with (transmit\$4 send\$3 forward\$3	US-PGPUB;	
		transfer\$3) with (key password passphrase	EPO; JPO;	
	I	passcode "secret code")	DERWENT;	
			IBM_TDB	2004/07/09 16:4
_	5650	((first PC sender transmitter requester	USPAT; US-PGPUB;	2004/07/05 10.4
	1	client) with (transmit\$4 send\$3 forward\$3	EPO; JPO;	
		transfer\$3) with (key password passphrase	DERWENT;	
		passcode "secret code")) and ((\$2crypt\$3	IBM TDB	
		\$2cipher\$3) and (communication link channel transmission)) and ((second server	120	
		reciev\$3 end destination) and (first PC		
		sender transmitter requester client) and		
		computer)		
	6821	1	USPAT;	2004/07/09 18:3
-	0021	buntte well and bester i	US-PGPUB;	1
			EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	2004/07/00 17:3
_	2409	(((first PC sender transmitter requester	USPAT;	2004/07/09 17:2
		client) with (transmit\$4 send\$3 forward\$3	US-PGPUB;	
1	1	transfer(3) with (key password passphrase	EPO; JPO;	
		passcode "secret code")) and ((\$2crypt\$3	DERWENT; IBM_TDB	
		esciphers3) and (communication link	TDM-IDD	
ļ		channel transmission)) and ((second server		
l		reciev\$3 end destination) and (first PC		
j	· I	sender transmitter requester client) and		
	1	computer)) and ("public key" and "private		
		key")	USPAT;	2004/07/09 17:
-	5	7 ((((first PC sender transmitter requester client) with (transmit\$4 send\$3 forward\$3	US-PGPUB;	1
	1	transfer\$3) with (key password passphrase	EPO; JPO;	
	1	passcode "secret code")) and ((\$2crypt\$3	DERWENT;	
		\$2cipher\$3) and (communication link	IBM TDB	
		channel transmission)) and ((second server		
1		reciev\$3 end destination) and (first PC		
1	1	sender transmitter requester client) and		
i				
		computer)) and ("public key" and "private		





Number	Hits	Search Text	DB	Time stamp
		713/151.ccls.	USPAT;	2004/07/07 16:55
			US-PGPUB;	
			EPO; JPO;	
	j		DERWENT;	
			IBM TDB	
	07	713/151.ccls. and (password with	USPĀT;	2004/07/07 17:18
•	21	/13/151.CC15. and (password wren	US-PGPUB;	
		\$2crypt\$3)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
			USPAT;	2004/07/07 18:1
•	69	713/171.ccls. and (password with		2004/07/07 10:1
		\$2crypt\$3)	US-PGPUB;	
			EPO; JPO;	
	]		DERWENT;	
			IBM_TDB	
_	69	713/171.ccls. and (password with	USPAT;	2004/07/07 18:3
-	0	\$2crypt\$3) and (communication chanel link	US-PGPUB;	İ
		transmission)	EPO; JPO;	
			DERWENT;	
	1		IBM TDB	
	200	(password with \$2crypt\$3 with protocol)and (communication chanel link transmission)	USPAT;	2004/07/07 18:1
-	223		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
				2004/07/07 18:1
_	197	(password with \$2crypt\$3 with protocol)and	USPAT;	2004/01/01 10:1
	1	(communication chanel link	US-PGPUB;	
	1	transmission) and secur\$2	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	973	(password with protocol) and	USPAT;	2004/07/07 18:1
-	9/3	(communication chanel link	US-PGPUB;	
		transmission) and secur\$2	EPO; JPO;	1
		transmission, and securaz	DERWENT;	
			IBM TDB	1
_	1562	(password with \$2crypt\$3) and	USPAT;	2004/07/07 18:
			US-PGPUB;	
		((communication channel link transmission)	EPO; JPO;	
		with secur\$2) and transmit\$4		
			DERWENT;	
		`	IBM_TDB	2004/07/07 10
_	1562	((communication channel link transmission)	USPAT;	2004/07/07 18:
	2332		US-PGPUB;	
	1	with (enrypt\$2 secur\$2)) and transmit\$4	EPO; JPO;	
		with the state of	DERWENT;	
			IBM TDB	
•		380/283.ccls. and (password with	USPAT;	2004/07/07 18:
-	24	\$2crypt\$3) and (communication chanel link	US-PGPUB;	
			EPO; JPO;	
		transmission)	DERWENT;	
		1	IBM TDB	
	1	1		2004/07/07 18:
_	24	380/283.ccls. and (password with	USPAT;	2003/01/01 10.
	1	\$2crypt\$3) and (communication chanel link	US-PGPUB;	1
		transmission) and password	EPO; JPO;	
		_	DERWENT;	
	1		IBM_TDB	
_	179	380/283.ccls.	USPAT;	2004/07/07 18:
_	1 1/3		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
		and tops and the second commetes	USPAT;	2004/07/07 18:
-	175	175 380/283.ccls. and (password \$2crypt\$3 communication channel link transmission	US-PGPUB;	1200., 5., 5.
		password secur\$3 encrypt\$3)	EPO; JPO;	
			DERWENT;	
	1	1	IBM TDB	1





<del></del>	233	713/165.ccls.	00::::/	2004/07/09 17:03
	230		US-PGPUB;	
İ	1 1		EPO; JPO;	1
			DERWENT;	ļ
Ī			IBM_TDB	
	30	((((first PC sender transmitter requester	USPAT;	2004/07/09 17:03
-	39	client) with (transmit\$4 send\$3 forward\$3	US-PGPUB;	1
		transfer\$3) with (key password passphrase	EPO; JPO;	\
1		passcode "secret code")) and ((\$2crypt\$3	DERWENT;	
		\$2cipher\$3) and (communication link	IBM_TDB	
		channel transmission)) and ((second server)	_	
		reciev\$3 end destination) and (first PC		
		sender transmitter requester client) and	i	
		computer)) and ("public key" and "private		
		key")) and 713/165.ccls.		
	229	(()first PC sender transmitter requester	USPAT;	2004/07/09 18:36
-	223	client) with (transmit\$4 send\$3 forward\$3	US-PGPUB;	
		transfers3) with (key password passphrase	EPO; JPO;	
		passcode "secret code")) and ((\$2crypt\$3	DERWENT;	Į
		cocipher(3) and (communication link	IBM_TDB	
ľ		channel transmission)) and ((second server		
		recieves end destination) and (first PC	1	
		leander transmitter requester client) and		
		("public key" and "private		
1		key") and (handshake "hand shake")		0001/07/00 17:41
_	179		USPAT;	2004/07/09 17:41
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1			IBM_TDB	2004/07/09 17:43
1_	52	380/283.ccls. and (password passphrase	USPAT;	2004/0//09 1/:43
		(pass adj (phrase code secret)) "secret	US-PGPUB;	
		code" "secret phrase")	EPO; JPO;	
			DERWENT;	
			IBM_TDB	2004/07/09 18:36
_	77	("public key" and "private key") same	USPAT;	2004/01/09 10.30
1		(handshake "hand shake")	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	1
			USPAT;	2004/07/09 20:31
-	75	((\$2crypt\$3 \$2cipher\$3) and (communication	US-PGPUB;	2004/01/05 20101
		link channel transmission)) and (("public	EPO; JPO;	
		key" and "private key") same (handshake	DERWENT;	
		"hand shake"))	IBM TDB	
ĺ	1		TOM TOP	